




# TRIM HEAD® SHARP POINT SQUARE DRIVE FINISHING SCREW

Submittal Sheet # MWG07

## TRIM HEAD®



### SHARP POINT, SQUARE DRIVE FINISHING SCREW

- Attaches base or trim over single or double layer of gypsum board to 20-25 ga. metal or wood stud.
- Uses No. 1 square drive bit
- Length 1-5/8", 2-1/4", 3"


1) Material: AISI-1018	2) Thread: Double Thread Lead (Type SS)
3) Mechanical Property: <ul style="list-style-type: none"> <li>a) Case Depth : 0.1mm (MIN)</li> <li>b) Surface Hardness : HV 550-800</li> <li>c) Core Hardness : HV 270-450</li> <li>d) Torque: #6 32KGS-CM (MIN)</li> <li style="padding-left: 20px;">#7 37KGS-CM (MIN)</li> <li style="padding-left: 20px;">#8 47KGS-CM (MIN)</li> </ul>	4) Cross Recess : No. 1 Square Drive

### Installation Guidelines:

- A standard screw gun with a depth sensitive nose piece should be used to install Trim Head screws. For optimal fastener performance, the screw gun should be a minimum of 4 amps and have a RPM range of 0-2500.
- Adjust the screw gun nosepiece to properly seat the fastener.
- Worn or damaged bit tips *should be replaced*.
- The fastener is fully seated when the *head is flush* with the work surface.
- *Overdriving* may result in torsional *failure* of the fastener or *stripout* of the substrate.

Part Number	Product Description	Box Qty.	Approx. Wt. Ctn
TT-158	6 x 1-5/8" Trim Head, Square Drive Sharp Point	6,000	19.8
TT-214	6 x 2-1/4" Trim Head, Square Drive Sharp Point	4,000	24.9
TT-300	8 x 3" Trim Head, Square Drive Sharp Point	2,000	24.8

ALL MEYER WHOLESALE GROUP FASTENERS ARE MANUFACTURED TO CONFORM TO STANDARDS SET BY ASTM C-1002 AND/OR ASTM C-954



UNIT : MM

SIZES	M2	Q2	K	D	A	H	TPI
# 6 – 18	2.29	1.20	0.6	3.40	5.50	3.40	18
	2.32	1.60	0.8	3.60	6.00	3.80	
# 7 – 17	2.29	1.20	0.6	3.70	5.50	3.40	18
	2.32	1.60	0.8	4.00	6.00	3.80	
# 8 – 15	2.29	1.20	0.6	4.10	6.50	3.40	18
	2.32	1.60	0.8	4.30	7.00	3.80	

MEYER WHOLESALE GROUP, INC. FASTENERS ARE MANUFACTURED IN AN ISO 9002 AND ISO 14001 CERTIFIED AND APPROVED FACTORY.

Job Name \_\_\_\_\_

Contractor \_\_\_\_\_ Date \_\_\_\_\_

Submittal Approvals: (Stamps or Signatures)